



HEATIZON
SYSTEMS

ACTIVATION DEVICES / CONTROLLERS

M315H Thermostat - White




Features:

- Dial temperature setting
- Has LED indicator light
- Range 48EF to 85EF
- No power required

Applications:

- Space Heating



Heatizon Systems
4403 South 500 West
Murray, UT 84123
www.heatizon.com



Phone (801) 293-1232
Fax (801) 293-3077
Toll Free (888) 239-1232



ACTIVATION DEVICES / CONTROLLERS


M320 Remote Bulb Sensor

Features:

- In floor bulb sensor with 8' long capillary
- Temperature adjust range -30E F to 100EF
- Adjustable differential
- No external power required

Applications:

- Floor warming
- Snow melting
- Roof de-icing



Heatizon Systems
4403 South 500 West
Murray, UT 84123
www.heatizon.com



Phone (801) 293-1232
Fax (801) 293-3077
Toll Free (888) 239-1232



ACTIVATION DEVICES / CONTROLLERS


M321 Programmable Thermostat

Features:

- LCD display
- Has LED indicator light
- Four programmable periods per day
- Separate programs for weekdays and weekends
- Battery powered

Applications:

- Space Heating
- Floor Warming



Heatizon Systems
4403 South 500 West
Murray, UT 84123
www.heatizon.com



Phone (801) 293-1232
Fax (801) 293-3077
Toll Free (888) 239-1232



ACTIVATION DEVICES / CONTROLLERS


M321RS Programmable Thermostat With Remote Sensor

Features:

- LCD display
- Four programmable periods per day
- Separate programs for weekdays and weekends
- Battery powered
- Comes with remote bulb sensor and 10' of cable

Applications:

- Space Heating
- Floor Warming



Heatizon Systems
4403 South 500 West
Murray, UT 84123
www.heatizon.com



Phone (801) 293-1232
Fax (801) 293-3077
Toll Free (888) 239-1232



HEATIZON
SYSTEMS

ACTIVATION DEVICES / CONTROLLERS

M322


Remote Temperature Controller

Features:

- Electronic floor temperature control
- Remote set-point capability
- Sensor lead lengths up to 1,000 feet
- Requires 120 VAC or 240 VAC to operate

Applications:

- Floor warming
- Snow melting
- Roof de-icing



Heatizon Systems
4403 South 500 West
Murray, UT 84123
www.heatizon.com



Phone (801) 293-1232
Fax (801) 293-3077
Toll Free (888) 239-1232



ACTIVATION DEVICES / CONTROLLERS


M323 Timer - 24 Hour Programmable

Features:

- Electronic 24-hour programmable period
- Eight set points (4 on/4off)
- Schedule repeats daily
- Manual override

Applications:

- Floor warming
- Snow melting
- Roof de-icing



Heatizon Systems
4403 South 500 West
Murray, UT 84123
www.heatizon.com



Phone (801) 293-1232
Fax (801) 293-3077
Toll Free (888) 239-1232



HEATIZON
SYSTEMS

ACTIVATION DEVICES / CONTROLLERS


M325D
Timer - 12 Hour With LED

Features:

- Operation of system from 0 to 12 hours
- Has LED indicator light
- Has "Hold" position
- No power required

Applications:

- Snow melting
- Roof de-icing
- Floor warming



REVISIONS			
REV:	DATE:	DESCRIPTION	APPRD:
A	02 / 13 / 03	GREEN WIRE NOTATION	
M 3 2 5 D T I M E R w / C B X 6 / C B X 2 3			
- O N E Z O N E			
DATE: FEB. 3, 2003		DWG. BY: JNL	
HEATIZON SYSTEMS			
<small>advanced floor heating/snow and ice removal systems</small>			
<small>4403 S. 500 W., MURRAY, UTAH 84123 PH (801) 293-1232 FAX: (801) 293-3077</small>			

Heatizon Systems 4403 South 500 West Murray, UT 84123 www.heatizon.com		Phone (801) 293-1232 Fax (801) 293-3077 Toll Free (888) 239-1232
---	--	--



ACTIVATION DEVICES / CONTROLLERS

M326, M326-5 Aerial Snow Switch




Features:

- Activates system when moisture is detected and ambient temperature is below 38E
- Leaves system on for 1 to 5 hours (depending on model selected) after moisture is no longer detected
- Requires 24 VAC from CBX6T, CBX6TF, CBX23T, CBX23TF, or M329

Applications:

- Snow melting
- Roof de-icing



Heatizon Systems
4403 South 500 West
Murray, UT 84123
www.heatizon.com



Phone (801) 293-1232
Fax (801) 293-3077
Toll Free (888) 239-1232



HEATIZON
SYSTEMS

ACTIVATION DEVICES / CONTROLLERS

M329 Selector Box

Features:

- For use with any activation device
- Will control up to 12 Control Boxes
- Manual/Off/Auto toggle switches
- 120VAC power required
- LED indicator light for each Control Box

Applications:


- Floor warming
- Space Heating
- Roof de-icing
- Snow melting



M329 Control Board



M329 Exterior



Heatizon Systems
4403 South 500 West
Murray, UT 84123
www.heatizon.com



Phone (801) 293-1232
Fax (801) 293-3077
Toll Free (888) 239-1232



ACTIVATION DEVICES / CONTROLLERS

M331 Pavement Mounted Snow Switch


Features:

- Activates system when moisture is present on slab and slab temperature is below 38°F
- System stays on for 6 hours after moisture is no longer detected
- Requires 24VAC from CBX6T, CBX6TF, CBX23T, CBX23TF, or M329



Applications:

- Snow melting



Heatizon Systems
4403 South 500 West
Murray, UT 84123
www.heatizon.com



Phone (801) 293-1232
Fax (801) 293-3077
Toll Free (888) 239-1232



HEATIZON
SYSTEMS

ACTIVATION DEVICES / CONTROLLERS

M332 Gutter Controller


Features:

- Ⓞ Allows gutter and downspout cables to be turned on and off at the same time as your Heatizon Control Box
- Ⓞ Designed to fit over a standard electrical outlet box
- Ⓞ Avoids the expense of duplicating activators
- Ⓞ Eliminates human error from roof de-icing



Applications:

- Ⓞ Roof de-icing
- Ⓞ Snow melting



REVISIONS			
REV:	DATE:	DESCRIPTION	APPR:
A	02 / 07 / 03		
HEATIZON GUTTER SWITCH			
DATE: FEB. 7, 2003		DWG. BY: JNL	
HEATIZON SYSTEMS <i>advanced floor heating/snow and ice removal systems</i>			
<small>4403 S. 500 W., MURRAY, UTAH 84123 PH (801) 293-1232 FAX: (801) 293-3077</small>			

Heatizon Systems
4403 South 500 West
Murray, UT 84123
www.heatizon.com



Phone (801) 293-1232
Fax (801) 293-3077
Toll Free (888) 239-1232



HEATIZON
S Y S T E M S

ACTIVATION DEVICES / CONTROLLERS

M335 Snow Switch - Gutter


Features:

- Automatic gutter ice melting control
- Senses moisture and temperature
- Activates system when moisture is detected and the temperature is below 38°F
- Requires 120 VAC, 208/240 VAC or 277 VAC to operate



Applications:

- Gutter de-icing
- Roof de-icing



Heatizon Systems
4403 South 500 West
Murray, UT 84123
www.heatizon.com



Phone (801) 293-1232
Fax (801) 293-3077
Toll Free (888) 239-1232



ACTIVATION DEVICES / CONTROLLERS


M336 Electronic Temperature Control

Features:

- Liquid crystal display produces constant readout
- Touch keypad
- Wide set point temperature range (-30EF to 220EF)
- Differential adjustment (1EF to 30EF)
- Remote temperature sensing up to 400 feet
- Power requirements 120VAC

Applications:

- Snow melting
- Roof De-icing
- Floor warming



Heatizon Systems
4403 South 500 West
Murray, UT 84123
www.heatizon.com



Phone (801) 293-1232
Fax (801) 293-3077
Toll Free (888) 239-1232



M337 Programmable Thermostat With Remote Bulb Sensor


Features:

- Digital readout
- Auto mode shows temperature settings
- Manual mode maintains selected temperature
- 120VAC power required
- Comes with remote bulb sensor and 15' of cable



Applications:

- Floor warming
- Space Heating



Heatizon Systems
4403 South 500 West
Murray, UT 84123
www.heatizon.com



Phone (801) 293-1232
Fax (801) 293-3077
Toll Free (888) 239-1232