

WARNING!!

DO NOT CUT OR DAMAGE Z MESH. DO NOT ALLOW Z MESH TO COME INTO CONTACT WITH ANY OTHER ELECTRICALLY CONDUCTIVE MATERIAL. DO NOT FASTEN THROUGH ANY ELECTRICALLY CONDUCTIVE MATERIAL AND Z MESH SIMULTANEOUSLY.

NO NAIL, SCREW OR OTHER FASTENER THROUGH Z MESH HERE.

SHINGLES - NON METALIC

HEATIZON Z MESH

BITUTHANE - CONTINUOUS OVER AND UNDER Z MESH

ROOF DECKING WOOD OR NON-METALIC

INSULATION - MIN. R-5

NOTE:
EPDM TO COMPLETELY COVER METAL DRIP EDGE AND SEPARATE DRIP EDGE FROM Z MESH

DRAWING NO.:

RD-1

**EAVE DETAIL - Z MESH
UNDER ASPHALT SHINGLES**

DRAWN BY:

ACI

DATE:

JUN. 2005

HEATIZON SYSTEMS

advanced floor heating/snow and ice removal systems

4137 SOUTH 500 WEST, MURRAY, UTAH 84123 (801) 293-1232 FAX (801) 293-3077